### Multi-Zone<sup>™</sup>





#### Multi-Zone<sup>™</sup> with Selector Valve



# More Protection, Less Hardware

Multi-Zone<sup>™</sup> systems utilizing Selector Valves are designed for use with the Force500<sup>™</sup> system at 500 psi (34.5 bar) as well as the SEVO<sup>™</sup>1230 system at 360 psi (25 bar). Multi-Zone systems allow for a central bank of cylinders with FK-5-1-12 Fire Protection Fluid to protect multiple hazards. This centralized arrangement requires less SEVO1230 cylinders and FK-5-1-12 Fluid than protecting each hazard individually.



Selector Valve Kit		
1	Pneumatic Selector Valve	
2	Pilot Cylinder with Electrical Actuator	
3	Time Delay with Cabinet	
4	1/4" Check Valve for Pilot Line	
*Not included: Pil	lot Line Manifold	

Part Number	Description
P-SVP0200	2" Selector Valve Kit
P-SVP0300	3" Selector Valve Kit
P-SVP0400	4" Selector Valve Kit
P-SVP0600	6" Selector Valve Kit

# **SEVO<sup>™</sup> Systems Distribution**

SEVO<sup>™</sup> Systems distribution is established in over 55 countries, on six continents.

#### Multi-Zone<sup>™</sup> Applications

Marine Vessels **Mix Rooms** Network Centers **Turbine Enclosures** Offshore Oil Rigs Paint Rooms **Pump Stations** Switch Gear Rooms Data Centers **Electric Utility Facilities Engine Protection** IT Systems/Software Gas Compressor Rooms Manufacturing Facilities Archives Cable Spreading Rooms **Cellular Sites** Generators **Clean Rooms Computer Rooms** Data Storage Facilities Libraries & Museums

14335 W. 97th Ter Lenexa, KS 66215 U.S.A

© SEVO Systems, Inc. 2024 Please Recycle

